

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	0	((detect\$3 or intercept\$3 or monitor\$3) with (file near2 (chang\$3 or manipul\$4))) same ((mirror\$3 or shadow\$3 or creat\$3 or generat\$3 or cach\$3) near3 (backup\$1 or archive\$1 or cop\$3)) and (notif\$5 with availa\$7)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/15 17:43
L3	0	((detect\$3 or intercept\$3 or monitor\$3) with (file near2 (chang\$3 or manipul\$4))) same ((mirror\$3 or shadow\$3 or creat\$3 or generat\$3 or cach\$3) near3 (backup\$1 or archive\$1 or cop\$3)) and ((notif\$5 or message\$1) with availa\$7)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/15 17:46
L4	6	((detect\$3 or intercept\$3 or monitor\$3) with (file near2 (chang\$3 or manipul\$4))) same ((mirror\$3 or shadow\$3 or creat\$3 or generat\$3 or cach\$3) near3 (backup\$1 or archive\$1 or cop\$3)) and (notif\$5 or message\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/15 17:49
L5	50	((notif\$5 or message\$1) near5 availab\$5) with backup\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/15 17:51
L6	3	5 and "707"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/15 17:51
L7	93	(notif\$5 or message\$1) with availab\$5 with backup\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/15 17:52
L8	11	7 and "707"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/15 17:51
L9	5	(shadow\$3 or mirror\$3 or replicat\$3) same ((notif\$5 or message\$1) with availab\$5 with backup\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/15 17:52

L10	2	(shadow\$3 or mirror3 or replicat\$3) and ((notif\$5 or message\$1) with (space near2availab\$5) with backup\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/15 17:54
L11	32	(shadow\$3 or mirror3 or replicat\$3) and ((notif\$5 or message\$1) with ((space\$1 or storage\$1) near2availab\$5) with backup\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/15 17:59
L12	0	(shadow\$3 or mirror3 or replicat\$3) and ((notif\$5 or message\$1) with ((space\$1 or storage\$1) near2availab\$5) with backup\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/15 17:59
L13	4	((notif\$5 or message\$1) with ((space\$1 or storage\$1) near2availab\$5) with backup\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/15 18:01
L14	6	((notif\$5 or message\$1) with ((space\$1 or storage\$1) near2( enough or availab\$5)) with backup\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/15 18:02
L15	14	((notif\$5 or message\$1) with ((space\$1 or storage\$1) near2( enough or availab\$5)) with (archiv\$3 or backup\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/15 18:03
L16	8	((notif\$5 or message\$1) with ((space\$1 or storage\$1) near2( enough or availab\$5)) with (archiv\$3 or (back\$3 near2 up\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/15 18:07
L17	1	(notif\$5 with ((space\$1 or storage\$1) near2( enough or availab\$5)) with (archiv\$3 or (back\$3 near2 up\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/15 18:08
L18	246	(notif\$5 with ((space\$1 or storage\$1) near2( enough or availab\$5)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/15 18:08
L19	0	(notif\$5 with ((space\$1 or storage\$1) near2( enough or availab\$5))) same (back\$3 near2 up)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/15 18:08

L20	25	(notif\$5 with ((space\$1 or storage\$1) near2 (enough or availab\$5))) and (back\$3 near2 up)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/15 18:11
L21	63	(notif\$5 with ((space\$1 or storage\$1) near2 (enough or availab\$5))) and ((back\$3 near2 up) or restor\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/15 18:11
L22	12	21 and "707"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/15 18:12
L23	8	21 and (detect\$3 with change\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/15 18:12